S35CHPS

COLOR DAY/NIGHT BULLET CAMERA





Power Requirements

The equipment should be operated only with the type of power source indicated on the marking label. This camera is designed for use with a regulated 12V DC power source.

Impedance

This camera is to be used with a standard 75 ohm impedance monitor. On monitors with both a high and standard impedance mode, ensure the impedance mode is set to standard

Service

Do not attempt to service the camera yourself. There are no user serviceable parts inside.

Refer servicing to a qualified service technician.

Light Exposure

Do not aim or point the camera towards the sun or into a bright light.

SPECIFICATIONS

Image Device	1/3" super HAD SONY CCD
Signal System	60Hz
Effective Pixels	768(H) X 494(V)
Scanning System	2:1 Interlace
Sync System	Internal
Horizontal Resolution	More than 550TVL
Sensitivity	0 Lux (IR LED ON)
S / N Ratio	More than 45dB (AGC OFF)
Gamma Correction	$\gamma = 0.45$
Video Output	Composite 1Vp-p, 75(Q) unbalanced
Electronic Shutter	1/60 ~ 1/100,000 sec Auto
Power Supply	$12V DC(\pm 10\%)$
IP Rate	IP67
Operating Temperature	$14^{\circ} \mathrm{F} \sim 104^{\circ} \mathrm{F} \ \ (-10^{\circ} \mathrm{C} \sim +40^{\circ} \mathrm{C})$
Storage Temperature	$-22^{\circ} \text{ F} \sim 122^{\circ} \text{ F} (-30^{\circ} \text{C} \sim +50^{\circ} \text{C})$
Weight	6.27 oz (178g)
Dimension	$37(\text{mm}) \phi \times 90(\text{mm})$
IR LED	6 Unit IR LED (10M beam lenght)
IR LED wavelenght/half angle	850 nm / ± 15 degree
Lens	f 6.0mm fixed focal board type lens.


CAMERA CONNECTIONS

The S35CHPS camera can be used in video systems with BNC.


The cable on the camera has a BNC connection for video output and a power connector for a 12V DC power source.

The S35CHPS camera comes with the following accessories:

- Camera mount
- Adapter



DIMENSIONS



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions;

- 1. This device may not cause harmful interference.
- 2. This device must accept any interference received, including interference that may cause undesired operation.
- **Note** This equipment has been tested and found to comply with limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.
 - This equipment generates, uses, and can radiate radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to whice the receiver is connected.
- Consult the dealer or an experienced radio / tv technician for help.

Caution - Any changes or modifications in construction of this device which are not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.